



PROJECT:

ADDRESS:

SR #	CSI SECT	DESCRIPTION	QUANTITY	WASTAGE (10%)	QTY WITH WASTAGE	UNIT OF MEASUREMENT
<b>DIV. 09 FINISHES</b>						
<b>Dry Walls</b>						
<b>Ground Floor</b>						
<b>A1 Wall</b>						
1		5/8" Gypsum Wall Board	5,972	10%	6,569	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	187			
		Drywall Screws (Ea)	8,976			
		Gypsum Board Joint Tape(Lf)	2,618			
2		3" Acoustic Insulation	2,986	10%	3,285	SF
3		3 5/8" Metal Stud @ 16" O.C	2,986	10%	3,285	SF
4		Continuous Metal Top Runner	232	10%	255	LF
5		Continuous Metal Base Runner	232	10%	255	LF
6		Joint Sealant	928	10%	1,021	LF
<b>A4 Wall</b>						
7		5/8" Gypsum Wall Board	10,590	10%	11,649	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	331			
		Drywall Screws (Ea)	15,888			
		Gypsum Board Joint Tape(Lf)	4,634			
8		3" Acoustic Insulation	5,295	10%	5,825	SF
9		6" Metal Stud @ 16" O.C	5,295	10%	5,825	SF
10		Continuous Metal Top Runner	409	10%	450	LF
11		Continuous Metal Base Runner	409	10%	450	LF
12		Joint Sealant	1,636	10%	1,800	LF
<b>B4 Wall</b>						
13		5/8" Cementitious Backer Board	10,622	10%	11,684	SF

14	5/8" Gypsum Wall Board	10,622	10%	11,684	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	332			
	Drywall Screws (Ea)	15,936			
	Gypsum Board Joint Tape(Lf)	4,648			
15	3" Acoustic Insulation	10,622	10%	11,684	SF
16	6" Metal Stud @ 16" O.C	10,622	10%	11,684	SF
17	Continuous Metal Top Runner	891	10%	980	LF
18	Continuous Metal Base Runner	891	10%	980	LF
19	Joint Sealant	3,564	10%	3,920	LF
	<b>B8 Wall</b>				
20	5/8" Cementitious Backer Board	459	10%	505	SF
21	5/8" Gypsum Wall Board	918	10%	1,010	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	29			
	Drywall Screws (Ea)	1,392			
	Gypsum Board Joint Tape(Lf)	406			
22	3" Acoustic Insulation	459	10%	505	SF
23	8" Metal Stud @ 16" O.C	459	10%	505	SF
24	Continuous Metal Top Runner	37	10%	41	LF
25	Continuous Metal Base Runner	37	10%	41	LF
26	Joint Sealant	148	10%	163	LF
	<b>C2 Wall</b>				
27	5/8" Gypsum Wall Board (Moisture Resistant)	4,878	10%	5,366	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	153			
	Drywall Screws (Ea)	7,344			
	Gypsum Board Joint Tape(Lf)	2,142			
28	3" Acoustic Insulation	4,878	10%	5,366	SF
29	3 5/8" Metal Stud @ 16" O.C	4,878	10%	5,366	SF
30	Continuous Metal Top Runner	375	10%	413	LF
31	Continuous Metal Base Runner	375	10%	413	LF
32	Joint Sealant	750	10%	825	LF
33	7/8" Metal Furring Channel @ 16" O.C	4,878	10%	5,366	SF
	<b>Second Floor</b>				
	<b>A1 Wall</b>				
34	5/8" Gypsum Wall Board	10,028	10%	11,031	SF

	(Size Of Sheet: 4'x8') No. Of Sheets	314			
	Drywall Screws (Ea)	15,072			
	Gypsum Board Joint Tape(Lf)	4,396			
35	3" Acoustic Insulation	5,014	10%	5,515	SF
36	3 5/8" Metal Stud @ 16" O.C	5,014	10%	5,515	SF
37	Continuous Metal Top Runner	812	10%	893	LF
38	Continuous Metal Base Runner	812	10%	893	LF
39	Joint Sealant	3,248	10%	3,573	LF
	<b>A2 Wall</b>				
40	5/8" Moisture Resistant Gypsum Wall Board	1,150	10%	1,265	SF
41	5/8" Gypsum Wall Board	1,150	10%	1,265	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	72			
	Drywall Screws (Ea)	3,456			
	Gypsum Board Joint Tape(Lf)	1,008			
42	3" Acoustic Insulation	1,150	10%	1,265	SF
43	3 5/8" Metal Stud @ 16" O.C	1,150	10%	1,265	SF
44	Continuous Metal Top Runner	145	10%	160	LF
45	Continuous Metal Base Runner	145	10%	160	LF
46	Joint Sealant	580	10%	638	LF
	<b>A4 Wall</b>				
47	5/8" Gypsum Wall Board	3,694	10%	4,063	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	116			
	Drywall Screws (Ea)	5,568			
	Gypsum Board Joint Tape(Lf)	1,624			
48	3" Acoustic Insulation	1,847	10%	2,032	SF
49	6" Metal Stud @ 16" O.C	1,847	10%	2,032	SF
50	Continuous Metal Top Runner	231	10%	254	LF
51	Continuous Metal Base Runner	231	10%	254	LF
52	Joint Sealant	924	10%	1,016	LF
	<b>C2 Wall</b>				
53	5/8" Gypsum Wall Board (Moisture Resistant)	1,893	10%	2,082	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	60			
	Drywall Screws (Ea)	2,880			
	Gypsum Board Joint Tape(Lf)	840			

54	3" Acoustic Insulation	1,893	10%	2,082	SF
55	3 5/8" Metal Stud @ 16" O.C	1,893	10%	2,082	SF
56	Continuous Metal Top Runner	237	10%	261	LF
57	Continuous Metal Base Runner	237	10%	261	LF
58	Joint Sealant	474	10%	521	LF
59	7/8" Metal Furring Channel @ 16" O.C	1,893	10%	2,082	SF
	<b>C3 Wall</b>				
60	5/8" Moisture Resistant Gypsum Wall Board	411	10%	452	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	13			
	Drywall Screws (Ea)	624			
	Gypsum Board Joint Tape(Lf)	182			
61	3" Acoustic Insulation	411	10%	452	SF
62	3 5/8" Metal Stud @ 16" O.C	411	10%	452	SF
63	Continuous Metal Top Runner	51	10%	56	LF
64	Continuous Metal Base Runner	51	10%	56	LF
65	Joint Sealant	102	10%	112	LF
66	7/8" Metal Furring Channel @ 16" O.C	411	10%	452	SF
	<b>Fifth Floor</b>				
	<b>A1 Wall</b>				
67	5/8" Gypsum Wall Board	18,296	10%	20,126	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	572			
	Drywall Screws (Ea)	27,456			
	Gypsum Board Joint Tape(Lf)	8,008			
68	3" Acoustic Insulation	9,148	10%	10,063	SF
69	3 5/8" Metal Stud @ 16" O.C	9,148	10%	10,063	SF
70	Continuous Metal Top Runner	1,365	10%	1,502	LF
71	Continuous Metal Base Runner	1,365	10%	1,502	LF
72	Joint Sealant	5,460	10%	6,006	LF
	<b>A2 Wall</b>				
73	5/8" Moisture Resistant Gypsum Wall Board	522	10%	574	SF
74	5/8" Gypsum Wall Board	522	10%	574	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	33			
	Drywall Screws (Ea)	1,584			
	Gypsum Board Joint Tape(Lf)	462			
75	3" Acoustic Insulation	522	10%	574	SF

76	3 5/8" Metal Stud @ 16" O.C	522	10%	574	SF
77	Continuous Metal Top Runner	60	10%	66	LF
78	Continuous Metal Base Runner	60	10%	66	LF
79	Joint Sealant	240	10%	264	LF
	<b>A4 Wall</b>				
80	5/8" Gypsum Wall Board	6,042	10%	6,646	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	189			
	Drywall Screws (Ea)	9,072			
	Gypsum Board Joint Tape(Lf)	2,646			
81	3" Acoustic Insulation	3,021	10%	3,323	SF
82	6" Metal Stud @ 16" O.C	3,021	10%	3,323	SF
83	Continuous Metal Top Runner	378	10%	416	LF
84	Continuous Metal Base Runner	378	10%	416	LF
85	Joint Sealant	1,512	10%	1,663	LF
	<b>A5 Wall</b>				
86	5/8" Moisture Resistant Gypsum Wall Board	925	10%	1,018	SF
87	5/8" Gypsum Wall Board	925	10%	1,018	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	58			
	Drywall Screws (Ea)	2,784			
	Gypsum Board Joint Tape(Lf)	812			
88	3" Acoustic Insulation	925	10%	1,018	SF
89	6" Metal Stud @ 16" O.C	925	10%	1,018	SF
90	Continuous Metal Top Runner	105	10%	116	LF
91	Continuous Metal Base Runner	105	10%	116	LF
92	Joint Sealant	420	10%	462	LF
	<b>A6 Wall</b>				
93	5/8" Moisture Resistant Gypsum Wall Board	362	10%	398	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	12			
	Drywall Screws (Ea)	576			
	Gypsum Board Joint Tape(Lf)	168			
94	3" Acoustic Insulation	181	10%	199	SF
95	6" Metal Stud @ 16" O.C	181	10%	199	SF
96	Continuous Metal Top Runner	21	10%	23	LF
97	Continuous Metal Base Runner	21	10%	23	LF
98	Joint Sealant	84	10%	92	LF

99	<b>B4 Wall</b>					
	5/8" Cementitious Backer Unit	5,697	10%	6,267	SF	
100	5/8" Gypsum Wall Board	5,697	10%	6,267	SF	
	(Size Of Sheet: 4'x8') No. Of Sheets	179				
	Drywall Screws (Ea)	8,592				
	Gypsum Board Joint Tape(Lf)	2,506				
101	3" Acoustic Insulation	5,697	10%	6,267	SF	
102	6" Metal Stud @ 16" O.C	5,697	10%	6,267	SF	
103	Continuous Metal Top Runner	736	10%	810	LF	
104	Continuous Metal Base Runner	736	10%	810	LF	
105	Joint Sealant	2,944	10%	3,238	LF	
	<b>B5 Wall</b>					
106	5/8" Moisture Resistant Gypsum Wall Board	198	10%	218	SF	
107	5/8" Gypsum Wall Board	198	10%	218	SF	
	(Size Of Sheet: 4'x8') No. Of Sheets	7				
	Drywall Screws (Ea)	336				
	Gypsum Board Joint Tape(Lf)	98				
108	3" Acoustic Insulation	198	10%	218	SF	
109	6" Metal Stud @ 16" O.C	198	10%	218	SF	
110	Continuous Metal Top Runner	23	10%	25	LF	
111	Continuous Metal Base Runner	23	10%	25	LF	
112	Joint Sealant	92	10%	101	LF	
	<b>B7 Wall</b>					
113	5/8" Cementitious Backer Unit	153	10%	168	SF	
114	5/8" Gypsum Wall Board	153	10%	168	SF	
	(Size Of Sheet: 4'x8') No. Of Sheets	5				
	Drywall Screws (Ea)	240				
	Gypsum Board Joint Tape(Lf)	70				
115	3" Acoustic Insulation	153	10%	168	SF	
116	8" Metal Stud @ 16" O.C	153	10%	168	SF	
117	Continuous Metal Top Runner	23	10%	25	LF	
118	Continuous Metal Base Runner	23	10%	25	LF	
119	Joint Sealant	92	10%	101	LF	

**C2 Wall**

120	5/8" Gypsum Wall Board (Moisture Resistant)	1,312	10%	1,443	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	41			
	Drywall Screws (Ea)	1,968			
	Gypsum Board Joint Tape(Lf)	492			
121	3" Acoustic Insulation	1,312	10%	1,443	SF
122	3 5/8" Metal Stud @ 16" O.C	1,312	10%	1,443	SF
123	Continuous Metal Top Runner	150	10%	165	LF
124	Continuous Metal Base Runner	150	10%	165	LF
125	Joint Sealant	300	10%	330	LF
126	7/8" Metal Furring Channel @ 16" O.C	1,312	10%	1,443	SF
	<b>C3 Wall</b>				
127	5/8" Moisture Resistant Gypsum Wall Board	71	10%	78	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			
128	3" Acoustic Insulation	71	10%	78	SF
129	3 5/8" Metal Stud @ 16" O.C	71	10%	78	SF
130	Continuous Metal Top Runner	8	10%	9	LF
131	Continuous Metal Base Runner	8	10%	9	LF
132	Joint Sealant	16	10%	18	LF
133	7/8" Metal Furring Channel @ 16" O.C	71	10%	78	SF
	<b>D1 Wall</b>				
134	1" Type X Gypsum Wall Board	176	10%	194	SF
135	5/8" Type X Gypsum Wall Board	352	10%	387	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	17			
	Drywall Screws (Ea)	816			
	Gypsum Board Joint Tape(Lf)	238			
136	3" Acoustic Insulation	176	10%	194	SF
137	3 5/8" Metal Stud @ 16" O.C	176	10%	194	SF
138	"J" Shaped Metal Top Runner	20	10%	22	LF
139	"J" Shaped Metal Base Runner	20	10%	22	LF
140	Joint Sealant	80	10%	88	LF
	<b>D3 Wall</b>				
141	1" Type X Gypsum Wall Board	568	10%	625	SF

142	5/8" Type X Gypsum Wall Board	568	10%	625	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	36			
	Drywall Screws (Ea)	1,728			
	Gypsum Board Joint Tape(Lf)	504			
143	3" Acoustic Insulation	568	10%	625	SF
144	3 5/8" Metal Stud @ 16" O.C	568	10%	625	SF
145	"J" Shaped Metal Top Runner	65	10%	72	LF
146	"J" Shaped Metal Base Runner	65	10%	72	LF
147	Joint Sealant	260	10%	286	LF

### Sixth Floor

#### A1 Wall

148	5/8" Gypsum Wall Board	21,240	10%	23,364	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	664			
	Drywall Screws (Ea)	31,872			
	Gypsum Board Joint Tape(Lf)	9,296			
149	3" Acoustic Insulation	10,620	10%	11,682	SF
150	3 5/8" Metal Stud @ 16" O.C	10,620	10%	11,682	SF
151	Continuous Metal Top Runner	615	10%	677	LF
152	Continuous Metal Base Runner	615	10%	677	LF
153	Joint Sealant	2,460	10%	2,706	LF

#### A2 Wall

154	5/8" Moisture Resistant Gypsum Wall Board	750	10%	825	SF
155	5/8" Gypsum Wall Board	750	10%	825	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	47			
	Drywall Screws (Ea)	2,256			
	Gypsum Board Joint Tape(Lf)	658			
156	3" Acoustic Insulation	750	10%	825	SF
157	3 5/8" Metal Stud @ 16" O.C	750	10%	825	SF
158	Continuous Metal Top Runner	43	10%	47	LF
159	Continuous Metal Base Runner	43	10%	47	LF
160	Joint Sealant	172	10%	189	LF

#### A4 Wall

161	5/8" Gypsum Wall Board	9,658	10%	10,624	SF
-----	------------------------	-------	-----	--------	----

	(Size Of Sheet: 4'x8') No. Of Sheets	302			
	Drywall Screws (Ea)	14,496			
	Gypsum Board Joint Tape(Lf)	4,228			
162	3" Acoustic Insulation	4,829	10%	5,312	SF
163	6" Metal Stud @ 16" O.C	4,829	10%	5,312	SF
164	Continuous Metal Top Runner	502	10%	552	LF
165	Continuous Metal Base Runner	502	10%	552	LF
166	Joint Sealant	2,008	10%	2,209	LF
	<b>C2 Wall</b>				
167	5/8" Gypsum Wall Board (Moisture Resistant)	1,727	10%	1,900	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	54			
	Drywall Screws (Ea)	2,592			
	Gypsum Board Joint Tape(Lf)	756			
168	3" Acoustic Insulation	1,727	10%	1,900	SF
169	3 5/8" Metal Stud @ 16" O.C	1,727	10%	1,900	SF
170	Continuous Metal Top Runner	103	10%	113	LF
171	Continuous Metal Base Runner	103	10%	113	LF
172	Joint Sealant	206	10%	227	LF
173	7/8" Metal Furring Channel @ 16" O.C	1,727	10%	1,900	SF
	<b>A5 Wall</b>				
174	5/8" Moisture Resistant Gypsum Wall Board	364	10%	400	SF
175	5/8" Gypsum Wall Board	364	10%	400	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	23			
	Drywall Screws (Ea)	1,104			
	Gypsum Board Joint Tape(Lf)	322			
176	3" Acoustic Insulation	364	10%	400	SF
177	6" Metal Stud @ 16" O.C	364	10%	400	SF
178	Continuous Metal Top Runner	34	10%	37	LF
179	Continuous Metal Base Runner	34	10%	37	LF
180	Joint Sealant	136	10%	150	LF
	<b>C3 Wall</b>				
181	5/8" Moisture Resistant Gypsum Wall Board	104	10%	114	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			

		Gypsum Board Joint Tape(Lf)	56			
182		3" Acoustic Insulation	104	10%	114	SF
183		3 5/8" Metal Stud @ 16" O.C	104	10%	114	SF
184		Continuous Metal Top Runner	7	10%	8	LF
185		Continuous Metal Base Runner	7	10%	8	LF
186		Joint Sealant	28	10%	31	LF
187		7/8" Metal Furring Channel @ 16" O.C	104	10%	114	SF
		<b>B4 Wall</b>				
188		5/8" Cementitious Backer Unit	4,062	10%	4,468	SF
189		5/8" Gypsum Wall Board	4,062	10%	4,468	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	254			
		Drywall Screws (Ea)	12,192			
		Gypsum Board Joint Tape(Lf)	3,556			
190		3" Acoustic Insulation	4,062	10%	4,468	SF
191		6" Metal Stud @ 16" O.C	4,062	10%	4,468	SF
192		Continuous Metal Top Runner	465	10%	512	LF
193		Continuous Metal Base Runner	465	10%	512	LF
194		Joint Sealant	1,860	10%	2,046	LF
		<b>D3 Wall</b>				
195		1" Type X Gypsum Wall Board	936	10%	1,030	SF
196		5/8" Type X Gypsum Wall Board	936	10%	1,030	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	29			
		Drywall Screws (Ea)	1,392			
		Gypsum Board Joint Tape(Lf)	406			
197		3" Acoustic Insulation	936	10%	1,030	SF
198		3 5/8" Metal Stud @ 16" O.C	936	10%	1,030	SF
199		"J" Shaped Metal Top Runner	108	10%	119	LF
200		"J" Shaped Metal Base Runner	108	10%	119	LF
201		Joint Sealant	432	10%	475	LF
		<b>A6 Wall</b>				
202		5/8" Moisture Resistant Gypsum Wall Board	334	10%	367	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	11			
		Drywall Screws (Ea)	528			
		Gypsum Board Joint Tape(Lf)	154			
203		3" Acoustic Insulation	167	10%	184	SF

204	6" Metal Stud @ 16" O.C	167	10%	184	SF
205	Continuous Metal Top Runner	21	10%	23	LF
206	Continuous Metal Base Runner	21	10%	23	LF
207	Joint Sealant	84	10%	92	LF
	<b>B5 Wall</b>				
208	5/8" Moisture Resistant Gypsum Wall Board	812	10%	893	SF
209	5/8" Gypsum Wall Board	812	10%	893	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	51			
	Drywall Screws (Ea)	2,448			
	Gypsum Board Joint Tape(Lf)	714			
210	3" Acoustic Insulation	812	10%	893	SF
211	6" Metal Stud @ 16" O.C	812	10%	893	SF
212	Continuous Metal Top Runner	93	10%	102	LF
213	Continuous Metal Base Runner	93	10%	102	LF
214	Joint Sealant	372	10%	409	LF
	<b>C4 Wall</b>				
215	5/8" Gypsum Wall Board	97	10%	107	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			
216	3" Acoustic Insulation	97	10%	107	SF
217	6" Metal Stud @ 16" O.C	97	10%	107	SF
218	Continuous Metal Top Runner	12	10%	13	LF
219	Continuous Metal Base Runner	12	10%	13	LF
220	Joint Sealant	48	10%	53	LF
221	7/8" Metal Furring Channel @ 16" O.C	97	10%	107	SF
	<b>C5 Wall</b>				
222	5/8" Moisture Resistant Gypsum Wall Board	54	10%	59	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	2			
	Drywall Screws (Ea)	96			
	Gypsum Board Joint Tape(Lf)	28			
223	3" Acoustic Insulation	54	10%	59	SF
224	6" Metal Stud @ 16" O.C	54	10%	59	SF
225	Continuous Metal Top Runner	6	10%	7	LF
226	Continuous Metal Base Runner	6	10%	7	LF

227	Joint Sealant	24	10%	26	LF
228	7/8" Metal Furring Channel @ 16" O.C	54	10%	59	SF
	<b>D1 Wall</b>				
229	1" Type X Gypsum Wall Board	259	10%	285	SF
230	5/8" Type X Gypsum Wall Board	518	10%	570	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	24			
	Drywall Screws (Ea)	1,152			
	Gypsum Board Joint Tape(Lf)	336			
231	3" Acoustic Insulation	259	10%	285	SF
232	3 5/8" Metal Stud @ 16" O.C	259	10%	285	SF
233	"J" Shaped Metal Top Runner	30	10%	33	LF
234	"J" Shaped Metal Base Runner	30	10%	33	LF
235	Joint Sealant	120	10%	132	LF
	<b>D2 Wall</b>				
236	1" Type X Gypsum Wall Board	38	10%	42	SF
237	5/8" Type X Gypsum Wall Board	38	10%	42	SF
238	5/8" Moisture Resistant Gypsum Wall Board	38	10%	42	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
239	3" Acoustic Insulation	38	10%	42	SF
240	3 5/8" Metal Stud @ 16" O.C	38	10%	42	SF
241	"J" Shaped Metal Top Runner	5	10%	6	LF
242	"J" Shaped Metal Base Runner	5	10%	6	LF
243	Joint Sealant	20	10%	22	LF
	<b>Seventh Floor</b>				
	<b>A1 Wall</b>				
244	5/8" Gypsum Wall Board	21,240	10%	23,364	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	664			
	Drywall Screws (Ea)	31,872			
	Gypsum Board Joint Tape(Lf)	9,296			
245	3" Acoustic Insulation	10,620	10%	11,682	SF
246	3 5/8" Metal Stud @ 16" O.C	10,620	10%	11,682	SF
247	Continuous Metal Top Runner	615	10%	677	LF
248	Continuous Metal Base Runner	615	10%	677	LF

249	Joint Sealant	2,460	10%	2,706	LF
	<b>A2 Wall</b>				
250	5/8" Moisture Resistant Gypsum Wall Board	750	10%	825	SF
251	5/8" Gypsum Wall Board	750	10%	825	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	47			
	Drywall Screws (Ea)	2,256			
	Gypsum Board Joint Tape(Lf)	658			
252	3" Acoustic Insulation	750	10%	825	SF
253	3 5/8" Metal Stud @ 16" O.C	750	10%	825	SF
254	Continuous Metal Top Runner	43	10%	47	LF
255	Continuous Metal Base Runner	43	10%	47	LF
256	Joint Sealant	172	10%	189	LF
	<b>A4 Wall</b>				
257	5/8" Gypsum Wall Board	9,658	10%	10,624	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	302			
	Drywall Screws (Ea)	14,496			
	Gypsum Board Joint Tape(Lf)	4,228			
258	3" Acoustic Insulation	4,829	10%	5,312	SF
259	6" Metal Stud @ 16" O.C	4,829	10%	5,312	SF
260	Continuous Metal Top Runner	502	10%	552	LF
261	Continuous Metal Base Runner	502	10%	552	LF
262	Joint Sealant	2,008	10%	2,209	LF
	<b>C2 Wall</b>				
263	5/8" Gypsum Wall Board (Moisture Resistant)	1,727	10%	1,900	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	54			
	Drywall Screws (Ea)	2,592			
	Gypsum Board Joint Tape(Lf)	756			
264	3" Acoustic Insulation	1,727	10%	1,900	SF
265	3 5/8" Metal Stud @ 16" O.C	1,727	10%	1,900	SF
266	Continuous Metal Top Runner	103	10%	113	LF
267	Continuous Metal Base Runner	103	10%	113	LF
268	Joint Sealant	206	10%	227	LF
269	7/8" Metal Furring Channel @ 16" O.C	1,727	10%	1,900	SF

	<b>A5 Wall</b>				
270	5/8" Moisture Resistant Gypsum Wall Board	364	10%	400	SF
271	5/8" Gypsum Wall Board	364	10%	400	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	23			
	Drywall Screws (Ea)	1,104			
	Gypsum Board Joint Tape(Lf)	322			
272	3" Acoustic Insulation	364	10%	400	SF
273	6" Metal Stud @ 16" O.C	364	10%	400	SF
274	Continuous Metal Top Runner	34	10%	37	LF
275	Continuous Metal Base Runner	34	10%	37	LF
276	Joint Sealant	136	10%	150	LF
	<b>C3 Wall</b>				
277	5/8" Moisture Resistant Gypsum Wall Board	104	10%	114	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
278	3" Acoustic Insulation	104	10%	114	SF
279	3 5/8" Metal Stud @ 16" O.C	104	10%	114	SF
280	Continuous Metal Top Runner	7	10%	8	LF
281	Continuous Metal Base Runner	7	10%	8	LF
282	Joint Sealant	28	10%	31	LF
283	7/8" Metal Furring Channel @ 16" O.C	104	10%	114	SF
	<b>B4 Wall</b>				
284	5/8" Cementitious Backer Unit	4,062	10%	4,468	SF
285	5/8" Gypsum Wall Board	4,062	10%	4,468	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	254			
	Drywall Screws (Ea)	12,192			
	Gypsum Board Joint Tape(Lf)	3,556			
286	3" Acoustic Insulation	4,062	10%	4,468	SF
287	6" Metal Stud @ 16" O.C	4,062	10%	4,468	SF
288	Continuous Metal Top Runner	465	10%	512	LF
289	Continuous Metal Base Runner	465	10%	512	LF
290	Joint Sealant	1,860	10%	2,046	LF
	<b>D3 Wall</b>				
291	1" Type X Gypsum Wall Board	936	10%	1,030	SF

292	5/8" Type X Gypsum Wall Board	936	10%	1,030	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	29			
	Drywall Screws (Ea)	1,392			
	Gypsum Board Joint Tape(Lf)	406			
293	3" Acoustic Insulation	936	10%	1,030	SF
294	3 5/8" Metal Stud @ 16" O.C	936	10%	1,030	SF
295	"J" Shaped Metal Top Runner	108	10%	119	LF
296	"J" Shaped Metal Base Runner	108	10%	119	LF
297	Joint Sealant	432	10%	475	LF
	<b>A6 Wall</b>				
298	5/8" Moisture Resistant Gypsum Wall Board	334	10%	367	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	11			
	Drywall Screws (Ea)	528			
	Gypsum Board Joint Tape(Lf)	154			
299	3" Acoustic Insulation	167	10%	184	SF
300	6" Metal Stud @ 16" O.C	167	10%	184	SF
301	Continuous Metal Top Runner	21	10%	23	LF
302	Continuous Metal Base Runner	21	10%	23	LF
303	Joint Sealant	84	10%	92	LF
	<b>B5 Wall</b>				
304	5/8" Moisture Resistant Gypsum Wall Board	812	10%	893	SF
305	5/8" Gypsum Wall Board	812	10%	893	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	51			
	Drywall Screws (Ea)	2,448			
	Gypsum Board Joint Tape(Lf)	714			
306	3" Acoustic Insulation	812	10%	893	SF
307	6" Metal Stud @ 16" O.C	812	10%	893	SF
308	Continuous Metal Top Runner	93	10%	102	LF
309	Continuous Metal Base Runner	93	10%	102	LF
310	Joint Sealant	372	10%	409	LF
	<b>C4 Wall</b>				
311	5/8" Gypsum Wall Board	97	10%	107	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			

312	3" Acoustic Insulation	97	10%	107	SF
313	6" Metal Stud @ 16" O.C	97	10%	107	SF
314	Continuous Metal Top Runner	12	10%	13	LF
315	Continuous Metal Base Runner	12	10%	13	LF
316	Joint Sealant	48	10%	53	LF
317	7/8" Metal Furring Channel @ 16" O.C	97	10%	107	SF
<b>C5 Wall</b>					
318	5/8" Moisture Resistant Gypsum Wall Board	54	10%	59	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	2			
	Drywall Screws (Ea)	96			
	Gypsum Board Joint Tape(Lf)	28			
319	3" Acoustic Insulation	54	10%	59	SF
320	6" Metal Stud @ 16" O.C	54	10%	59	SF
321	Continuous Metal Top Runner	6	10%	7	LF
322	Continuous Metal Base Runner	6	10%	7	LF
323	Joint Sealant	24	10%	26	LF
324	7/8" Metal Furring Channel @ 16" O.C	54	10%	59	SF
<b>D1 Wall</b>					
325	1" Type X Gypsum Wall Board	259	10%	285	SF
326	5/8" Type X Gypsum Wall Board	518	10%	570	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	24			
	Drywall Screws (Ea)	1,152			
	Gypsum Board Joint Tape(Lf)	336			
327	3" Acoustic Insulation	259	10%	285	SF
328	3 5/8" Metal Stud @ 16" O.C	259	10%	285	SF
329	"J" Shaped Metal Top Runner	30	10%	33	LF
330	"J" Shaped Metal Base Runner	30	10%	33	LF
331	Joint Sealant	120	10%	132	LF
<b>D2 Wall</b>					
332	1" Type X Gypsum Wall Board	38	10%	42	SF
333	5/8" Type X Gypsum Wall Board	38	10%	42	SF
334	5/8" Moisture Resistant Gypsum Wall Board	38	10%	42	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			

335	3" Acoustic Insulation	38	10%	42	SF
336	3 5/8" Metal Stud @ 16" O.C	38	10%	42	SF
337	"J" Shaped Metal Top Runner	5	10%	6	LF
338	"J" Shaped Metal Base Runner	5	10%	6	LF
339	Joint Sealant	20	10%	22	LF
<b>Eighth Floor</b>					
<b>A1 Wall</b>					
340	5/8" Gypsum Wall Board	21,240	10%	23,364	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	664			
	Drywall Screws (Ea)	31,872			
	Gypsum Board Joint Tape(Lf)	9,296			
341	3" Acoustic Insulation	10,620	10%	11,682	SF
342	3 5/8" Metal Stud @ 16" O.C	10,620	10%	11,682	SF
343	Continuous Metal Top Runner	615	10%	677	LF
344	Continuous Metal Base Runner	615	10%	677	LF
345	Joint Sealant	2,460	10%	2,706	LF
<b>A2 Wall</b>					
346	5/8" Moisture Resistant Gypsum Wall Board	750	10%	825	SF
347	5/8" Gypsum Wall Board	750	10%	825	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	47			
	Drywall Screws (Ea)	2,256			
	Gypsum Board Joint Tape(Lf)	658			
348	3" Acoustic Insulation	750	10%	825	SF
349	3 5/8" Metal Stud @ 16" O.C	750	10%	825	SF
350	Continuous Metal Top Runner	43	10%	47	LF
351	Continuous Metal Base Runner	43	10%	47	LF
352	Joint Sealant	172	10%	189	LF
<b>A4 Wall</b>					
353	5/8" Gypsum Wall Board	9,658	10%	10,624	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	302			
	Drywall Screws (Ea)	14,496			
	Gypsum Board Joint Tape(Lf)	4,228			
354	3" Acoustic Insulation	4,829	10%	5,312	SF
355	6" Metal Stud @ 16" O.C	4,829	10%	5,312	SF
356	Continuous Metal Top Runner	502	10%	552	LF

357	Continuous Metal Base Runner	502	10%	552	LF
358	Joint Sealant	2,008	10%	2,209	LF
	<b>C2 Wall</b>				
359	5/8" Gypsum Wall Board (Moisture Resistant)	1,727	10%	1,900	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	54			
	Drywall Screws (Ea)	2,592			
	Gypsum Board Joint Tape(Lf)	756			
360	3" Acoustic Insulation	1,727	10%	1,900	SF
361	3 5/8" Metal Stud @ 16" O.C	1,727	10%	1,900	SF
362	Continuous Metal Top Runner	103	10%	113	LF
363	Continuous Metal Base Runner	103	10%	113	LF
364	Joint Sealant	206	10%	227	LF
365	7/8" Metal Furring Channel @ 16" O.C	1,727	10%	1,900	SF
	<b>A5 Wall</b>				
366	5/8" Moisture Resistant Gypsum Wall Board	364	10%	400	SF
367	5/8" Gypsum Wall Board	364	10%	400	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	23			
	Drywall Screws (Ea)	1,104			
	Gypsum Board Joint Tape(Lf)	322			
368	3" Acoustic Insulation	364	10%	400	SF
369	6" Metal Stud @ 16" O.C	364	10%	400	SF
370	Continuous Metal Top Runner	34	10%	37	LF
371	Continuous Metal Base Runner	34	10%	37	LF
372	Joint Sealant	136	10%	150	LF
	<b>C3 Wall</b>				
373	5/8" Moisture Resistant Gypsum Wall Board	104	10%	114	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
374	3" Acoustic Insulation	104	10%	114	SF
375	3 5/8" Metal Stud @ 16" O.C	104	10%	114	SF
376	Continuous Metal Top Runner	7	10%	8	LF
377	Continuous Metal Base Runner	7	10%	8	LF
378	Joint Sealant	28	10%	31	LF

	7/8" Metal Furring Channel @ 16" O.C	104	10%	114	SF
	<b>B4 Wall</b>				
379	5/8" Cementitious Backer Unit	4,062	10%	4,468	SF
380	5/8" Gypsum Wall Board	4,062	10%	4,468	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	254			
	Drywall Screws (Ea)	12,192			
	Gypsum Board Joint Tape(Lf)	3,556			
381	3" Acoustic Insulation	4,062	10%	4,468	SF
382	6" Metal Stud @ 16" O.C	4,062	10%	4,468	SF
383	Continuous Metal Top Runner	465	10%	512	LF
384	Continuous Metal Base Runner	465	10%	512	LF
385	Joint Sealant	1,860	10%	2,046	LF
	<b>D3 Wall</b>				
386	1" Type X Gypsum Wall Board	936	10%	1,030	SF
387	5/8" Type X Gypsum Wall Board	936	10%	1,030	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	29			
	Drywall Screws (Ea)	1,392			
	Gypsum Board Joint Tape(Lf)	406			
388	3" Acoustic Insulation	936	10%	1,030	SF
389	3 5/8" Metal Stud @ 16" O.C	936	10%	1,030	SF
390	"J" Shaped Metal Top Runner	108	10%	119	LF
391	"J" Shaped Metal Base Runner	108	10%	119	LF
392	Joint Sealant	432	10%	475	LF
	<b>A6 Wall</b>				
393	5/8" Moisture Resistant Gypsum Wall Board	334	10%	367	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	11			
	Drywall Screws (Ea)	528			
	Gypsum Board Joint Tape(Lf)	154			
394	3" Acoustic Insulation	167	10%	184	SF
395	6" Metal Stud @ 16" O.C	167	10%	184	SF
396	Continuous Metal Top Runner	21	10%	23	LF
397	Continuous Metal Base Runner	21	10%	23	LF
398	Joint Sealant	84	10%	92	LF

**B5 Wall**

399	5/8" Moisture Resistant Gypsum Wall Board	812	10%	893	SF
400	5/8" Gypsum Wall Board	812	10%	893	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	51			
	Drywall Screws (Ea)	2,448			
	Gypsum Board Joint Tape(Lf)	714			
401	3" Acoustic Insulation	812	10%	893	SF
402	6" Metal Stud @ 16" O.C	812	10%	893	SF
403	Continuous Metal Top Runner	93	10%	102	LF
404	Continuous Metal Base Runner	93	10%	102	LF
405	Joint Sealant	372	10%	409	LF
	<b>C4 Wall</b>				
406	5/8" Gypsum Wall Board	97	10%	107	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			
407	3" Acoustic Insulation	97	10%	107	SF
408	6" Metal Stud @ 16" O.C	97	10%	107	SF
409	Continuous Metal Top Runner	12	10%	13	LF
410	Continuous Metal Base Runner	12	10%	13	LF
411	Joint Sealant	48	10%	53	LF
412	7/8" Metal Furring Channel @ 16" O.C	97	10%	107	SF
	<b>C5 Wall</b>				
413	5/8" Moisture Resistant Gypsum Wall Board	54	10%	59	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	2			
	Drywall Screws (Ea)	96			
	Gypsum Board Joint Tape(Lf)	28			
414	3" Acoustic Insulation	54	10%	59	SF
415	6" Metal Stud @ 16" O.C	54	10%	59	SF
416	Continuous Metal Top Runner	6	10%	7	LF
417	Continuous Metal Base Runner	6	10%	7	LF
418	Joint Sealant	24	10%	26	LF
419	7/8" Metal Furring Channel @ 16" O.C	54	10%	59	SF
	<b>D1 Wall</b>				
420	1" Type X Gypsum Wall Board	259	10%	285	SF
421	5/8" Type X Gypsum Wall Board	518	10%	570	SF

	(Size Of Sheet: 4'x8') No. Of Sheets	24			
	Drywall Screws (Ea)	1,152			
	Gypsum Board Joint Tape(Lf)	336			
422	3" Acoustic Insulation	259	10%	285	SF
423	3 5/8" Metal Stud @ 16" O.C	259	10%	285	SF
424	"J" Shaped Metal Top Runner	30	10%	33	LF
425	"J" Shaped Metal Base Runner	30	10%	33	LF
426	Joint Sealant	120	10%	132	LF
	<b>D2 Wall</b>				
427	1" Type X Gypsum Wall Board	38	10%	42	SF
428	5/8" Type X Gypsum Wall Board	38	10%	42	SF
429	5/8" Moisture Resistant Gypsum Wall Board	38	10%	42	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
430	3" Acoustic Insulation	38	10%	42	SF
431	3 5/8" Metal Stud @ 16" O.C	38	10%	42	SF
432	"J" Shaped Metal Top Runner	5	10%	6	LF
433	"J" Shaped Metal Base Runner	5	10%	6	LF
434	Joint Sealant	20	10%	22	LF
	<b>Ninth Floor</b>				
	<b>A1 Wall</b>				
435	5/8" Gypsum Wall Board	21,240	10%	23,364	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	664			
	Drywall Screws (Ea)	31,872			
	Gypsum Board Joint Tape(Lf)	9,296			
436	3" Acoustic Insulation	10,620	10%	11,682	SF
437	3 5/8" Metal Stud @ 16" O.C	10,620	10%	11,682	SF
438	Continuous Metal Top Runner	615	10%	677	LF
439	Continuous Metal Base Runner	615	10%	677	LF
440	Joint Sealant	2,460	10%	2,706	LF
	<b>A2 Wall</b>				
441	5/8" Moisture Resistant Gypsum Wall Board	750	10%	825	SF
442	5/8" Gypsum Wall Board	750	10%	825	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	47			

		Drywall Screws (Ea)	2,256			
		Gypsum Board Joint Tape(Lf)	658			
443		3" Acoustic Insulation	750	10%	825	SF
444		3 5/8" Metal Stud @ 16" O.C	750	10%	825	SF
445		Continuous Metal Top Runner	43	10%	47	LF
446		Continuous Metal Base Runner	43	10%	47	LF
447		Joint Sealant	172	10%	189	LF
		<b>A4 Wall</b>				
448		5/8" Gypsum Wall Board	9,658	10%	10,624	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	302			
		Drywall Screws (Ea)	14,496			
		Gypsum Board Joint Tape(Lf)	4,228			
449		3" Acoustic Insulation	4,829	10%	5,312	SF
450		6" Metal Stud @ 16" O.C	4,829	10%	5,312	SF
451		Continuous Metal Top Runner	502	10%	552	LF
452		Continuous Metal Base Runner	502	10%	552	LF
453		Joint Sealant	2,008	10%	2,209	LF
		<b>C2 Wall</b>				
454		5/8" Gypsum Wall Board (Moisture Resistant)	1,727	10%	1,900	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	54			
		Drywall Screws (Ea)	2,592			
		Gypsum Board Joint Tape(Lf)	756			
455		3" Acoustic Insulation	1,727	10%	1,900	SF
456		3 5/8" Metal Stud @ 16" O.C	1,727	10%	1,900	SF
457		Continuous Metal Top Runner	103	10%	113	LF
458		Continuous Metal Base Runner	103	10%	113	LF
459		Joint Sealant	206	10%	227	LF
460		7/8" Metal Furring Channel @ 16" O.C	1,727	10%	1,900	SF
		<b>A5 Wall</b>				
461		5/8" Moisture Resistant Gypsum Wall Board	364	10%	400	SF
462		5/8" Gypsum Wall Board	364	10%	400	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	23			
		Drywall Screws (Ea)	1,104			
		Gypsum Board Joint Tape(Lf)	322			

463	3" Acoustic Insulation	364	10%	400	SF
464	6" Metal Stud @ 16" O.C	364	10%	400	SF
465	Continuous Metal Top Runner	34	10%	37	LF
466	Continuous Metal Base Runner	34	10%	37	LF
467	Joint Sealant	136	10%	150	LF
<b>C3 Wall</b>					
468	5/8" Moisture Resistant Gypsum Wall Board	104	10%	114	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
469	3" Acoustic Insulation	104	10%	114	SF
470	3 5/8" Metal Stud @ 16" O.C	104	10%	114	SF
471	Continuous Metal Top Runner	7	10%	8	LF
472	Continuous Metal Base Runner	7	10%	8	LF
473	Joint Sealant	28	10%	31	LF
474	7/8" Metal Furring Channel @ 16" O.C	104	10%	114	SF
<b>B4 Wall</b>					
475	5/8" Cementitious Backer Unit	4,062	10%	4,468	SF
476	5/8" Gypsum Wall Board	4,062	10%	4,468	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	254			
	Drywall Screws (Ea)	12,192			
	Gypsum Board Joint Tape(Lf)	3,556			
477	3" Acoustic Insulation	4,062	10%	4,468	SF
478	6" Metal Stud @ 16" O.C	4,062	10%	4,468	SF
479	Continuous Metal Top Runner	465	10%	512	LF
480	Continuous Metal Base Runner	465	10%	512	LF
481	Joint Sealant	1,860	10%	2,046	LF
<b>D3 Wall</b>					
482	1" Type X Gypsum Wall Board	936	10%	1,030	SF
483	5/8" Type X Gypsum Wall Board	936	10%	1,030	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	29			
	Drywall Screws (Ea)	1,392			
	Gypsum Board Joint Tape(Lf)	406			
484	3" Acoustic Insulation	936	10%	1,030	SF
485	3 5/8" Metal Stud @ 16" O.C	936	10%	1,030	SF

486	"J" Shaped Metal Top Runner	108	10%	119	LF
487	"J" Shaped Metal Base Runner	108	10%	119	LF
488	Joint Sealant	432	10%	475	LF
<b>A6 Wall</b>					
489	5/8" Moisture Resistant Gypsum Wall Board	334	10%	367	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	11			
	Drywall Screws (Ea)	528			
	Gypsum Board Joint Tape(Lf)	154			
490	3" Acoustic Insulation	167	10%	184	SF
491	6" Metal Stud @ 16" O.C	167	10%	184	SF
492	Continuous Metal Top Runner	21	10%	23	LF
493	Continuous Metal Base Runner	21	10%	23	LF
494	Joint Sealant	84	10%	92	LF
<b>B5 Wall</b>					
495	5/8" Moisture Resistant Gypsum Wall Board	812	10%	893	SF
496	5/8" Gypsum Wall Board	812	10%	893	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	51			
	Drywall Screws (Ea)	2,448			
	Gypsum Board Joint Tape(Lf)	714			
497	3" Acoustic Insulation	812	10%	893	SF
498	6" Metal Stud @ 16" O.C	812	10%	893	SF
499	Continuous Metal Top Runner	93	10%	102	LF
500	Continuous Metal Base Runner	93	10%	102	LF
501	Joint Sealant	372	10%	409	LF
<b>C4 Wall</b>					
502	5/8" Gypsum Wall Board	97	10%	107	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			
503	3" Acoustic Insulation	97	10%	107	SF
504	6" Metal Stud @ 16" O.C	97	10%	107	SF
505	Continuous Metal Top Runner	12	10%	13	LF
506	Continuous Metal Base Runner	12	10%	13	LF
507	Joint Sealant	48	10%	53	LF
508	7/8" Metal Furring Channel @ 16" O.C	97	10%	107	SF

	<b>C5 Wall</b>					
509	5/8" Moisture Resistant Gypsum Wall Board	54	10%	59	SF	\$
	(Size Of Sheet: 4'x8') No. Of Sheets	2				
	Drywall Screws (Ea)	96				
	Gypsum Board Joint Tape(Lf)	28				
510	3" Acoustic Insulation	54	10%	59	SF	\$
511	6" Metal Stud @ 16" O.C	54	10%	59	SF	\$
512	Continuous Metal Top Runner	6	10%	7	LF	\$
513	Continuous Metal Base Runner	6	10%	7	LF	\$
514	Joint Sealant	24	10%	26	LF	\$
515	7/8" Metal Furring Channel @ 16" O.C	54	10%	59	SF	\$
	<b>D1 Wall</b>					
516	1" Type X Gypsum Wall Board	259	10%	285	SF	\$
517	5/8" Type X Gypsum Wall Board	518	10%	570	SF	\$
	(Size Of Sheet: 4'x8') No. Of Sheets	24				
	Drywall Screws (Ea)	1,152				
	Gypsum Board Joint Tape(Lf)	336				
518	3" Acoustic Insulation	259	10%	285	SF	\$
519	3 5/8" Metal Stud @ 16" O.C	259	10%	285	SF	\$
520	"J" Shaped Metal Top Runner	30	10%	33	LF	\$
521	"J" Shaped Metal Base Runner	30	10%	33	LF	\$
522	Joint Sealant	120	10%	132	LF	\$
	<b>D2 Wall</b>					
523	1" Type X Gypsum Wall Board	38	10%	42	SF	\$
524	5/8" Type X Gypsum Wall Board	38	10%	42	SF	\$
525	5/8" Moisture Resistant Gypsum Wall Board	38	10%	42	SF	\$
	(Size Of Sheet: 4'x8') No. Of Sheets	4				
	Drywall Screws (Ea)	192				
	Gypsum Board Joint Tape(Lf)	56				
526	3" Acoustic Insulation	38	10%	42	SF	\$
527	3 5/8" Metal Stud @ 16" O.C	38	10%	42	SF	\$
528	"J" Shaped Metal Top Runner	5	10%	6	LF	\$
529	"J" Shaped Metal Base Runner	5	10%	6	LF	\$
530	Joint Sealant	20	10%	22	LF	\$

**Tenth Floor****A1 Wall**

531	5/8" Gypsum Wall Board	21,240	10%	23,364	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	664			
	Drywall Screws (Ea)	31,872			
	Gypsum Board Joint Tape(Lf)	9,296			
532	3" Acoustic Insulation	10,620	10%	11,682	SF
533	3 5/8" Metal Stud @ 16" O.C	10,620	10%	11,682	SF
534	Continuous Metal Top Runner	615	10%	677	LF
535	Continuous Metal Base Runner	615	10%	677	LF
536	Joint Sealant	2,460	10%	2,706	LF

**A2 Wall**

537	5/8" Moisture Resistant Gypsum Wall Board	750	10%	825	SF
538	5/8" Gypsum Wall Board	750	10%	825	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	47			
	Drywall Screws (Ea)	2,256			
	Gypsum Board Joint Tape(Lf)	658			
539	3" Acoustic Insulation	750	10%	825	SF
540	3 5/8" Metal Stud @ 16" O.C	750	10%	825	SF
541	Continuous Metal Top Runner	43	10%	47	LF
542	Continuous Metal Base Runner	43	10%	47	LF
543	Joint Sealant	172	10%	189	LF

**A4 Wall**

544	5/8" Gypsum Wall Board	9,658	10%	10,624	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	302			
	Drywall Screws (Ea)	14,496			
	Gypsum Board Joint Tape(Lf)	4,228			
545	3" Acoustic Insulation	4,829	10%	5,312	SF
546	6" Metal Stud @ 16" O.C	4,829	10%	5,312	SF
547	Continuous Metal Top Runner	502	10%	552	LF
548	Continuous Metal Base Runner	502	10%	552	LF
549	Joint Sealant	2,008	10%	2,209	LF

**C2 Wall**

550	5/8" Gypsum Wall Board (Moisture Resistant)	1,727	10%	1,900	SF
-----	---	-------	-----	-------	----

	(Size Of Sheet: 4'x8') No. Of Sheets	54			
	Drywall Screws (Ea)	2,592			
	Gypsum Board Joint Tape(Lf)	756			
551	3" Acoustic Insulation	1,727	10%	1,900	SF
552	3 5/8" Metal Stud @ 16" O.C	1,727	10%	1,900	SF
553	Continuous Metal Top Runner	103	10%	113	LF
554	Continuous Metal Base Runner	103	10%	113	LF
555	Joint Sealant	206	10%	227	LF
556	7/8" Metal Furring Channel @ 16" O.C	1,727	10%	1,900	SF
	<b>A5 Wall</b>				
557	5/8" Moisture Resistant Gypsum Wall Board	364	10%	400	SF
558	5/8" Gypsum Wall Board	364	10%	400	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	23			
	Drywall Screws (Ea)	1,104			
	Gypsum Board Joint Tape(Lf)	322			
559	3" Acoustic Insulation	364	10%	400	SF
560	6" Metal Stud @ 16" O.C	364	10%	400	SF
561	Continuous Metal Top Runner	34	10%	37	LF
562	Continuous Metal Base Runner	34	10%	37	LF
563	Joint Sealant	136	10%	150	LF
	<b>C3 Wall</b>				
564	5/8" Moisture Resistant Gypsum Wall Board	104	10%	114	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
565	3" Acoustic Insulation	104	10%	114	SF
566	3 5/8" Metal Stud @ 16" O.C	104	10%	114	SF
567	Continuous Metal Top Runner	7	10%	8	LF
568	Continuous Metal Base Runner	7	10%	8	LF
569	Joint Sealant	28	10%	31	LF
	7/8" Metal Furring Channel @ 16" O.C	104	10%	114	SF
	<b>B4 Wall</b>				
570	5/8" Cementitious Backer Unit	4,062	10%	4,468	SF
571	5/8" Gypsum Wall Board	4,062	10%	4,468	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	254			

		Drywall Screws (Ea)	12,192			
		Gypsum Board Joint Tape(Lf)	3,556			
572		3" Acoustic Insulation	4,062	10%	4,468	SF
573		6" Metal Stud @ 16" O.C	4,062	10%	4,468	SF
574		Continuous Metal Top Runner	465	10%	512	LF
575		Continuous Metal Base Runner	465	10%	512	LF
576		Joint Sealant	1,860	10%	2,046	LF
		<b>D3 Wall</b>				
577		1" Type X Gypsum Wall Board	936	10%	1,030	SF
578		5/8" Type X Gypsum Wall Board	936	10%	1,030	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	29			
		Drywall Screws (Ea)	1,392			
		Gypsum Board Joint Tape(Lf)	406			
579		3" Acoustic Insulation	936	10%	1,030	SF
580		3 5/8" Metal Stud @ 16" O.C	936	10%	1,030	SF
581		"J" Shaped Metal Top Runner	108	10%	119	LF
582		"J" Shaped Metal Base Runner	108	10%	119	LF
583		Joint Sealant	432	10%	475	LF
		<b>A6 Wall</b>				
584		5/8" Moisture Resistant Gypsum Wall Board	334	10%	367	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	11			
		Drywall Screws (Ea)	528			
		Gypsum Board Joint Tape(Lf)	154			
585		3" Acoustic Insulation	167	10%	184	SF
586		6" Metal Stud @ 16" O.C	167	10%	184	SF
587		Continuous Metal Top Runner	21	10%	23	LF
588		Continuous Metal Base Runner	21	10%	23	LF
589		Joint Sealant	84	10%	92	LF
		<b>B5 Wall</b>				
590		5/8" Moisture Resistant Gypsum Wall Board	812	10%	893	SF
591		5/8" Gypsum Wall Board	812	10%	893	SF
		(Size Of Sheet: 4'x8') No. Of Sheets	51			
		Drywall Screws (Ea)	2,448			
		Gypsum Board Joint Tape(Lf)	714			
592		3" Acoustic Insulation	812	10%	893	SF

593	6" Metal Stud @ 16" O.C	812	10%	893	SF
594	Continuous Metal Top Runner	93	10%	102	LF
595	Continuous Metal Base Runner	93	10%	102	LF
596	Joint Sealant	372	10%	409	LF
<b>C4 Wall</b>					
597	5/8" Gypsum Wall Board	97	10%	107	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	3			
	Drywall Screws (Ea)	144			
	Gypsum Board Joint Tape(Lf)	42			
598	3" Acoustic Insulation	97	10%	107	SF
599	6" Metal Stud @ 16" O.C	97	10%	107	SF
600	Continuous Metal Top Runner	12	10%	13	LF
601	Continuous Metal Base Runner	12	10%	13	LF
602	Joint Sealant	48	10%	53	LF
603	7/8" Metal Furring Channel @ 16" O.C	97	10%	107	SF
<b>C5 Wall</b>					
604	5/8" Moisture Resistant Gypsum Wall Board	54	10%	59	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	2			
	Drywall Screws (Ea)	96			
	Gypsum Board Joint Tape(Lf)	28			
605	3" Acoustic Insulation	54	10%	59	SF
606	6" Metal Stud @ 16" O.C	54	10%	59	SF
607	Continuous Metal Top Runner	6	10%	7	LF
608	Continuous Metal Base Runner	6	10%	7	LF
609	Joint Sealant	24	10%	26	LF
610	7/8" Metal Furring Channel @ 16" O.C	54	10%	59	SF
<b>D1 Wall</b>					
611	1" Type X Gypsum Wall Board	259	10%	285	SF
612	5/8" Type X Gypsum Wall Board	518	10%	570	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	24			
	Drywall Screws (Ea)	1,152			
	Gypsum Board Joint Tape(Lf)	336			
613	3" Acoustic Insulation	259	10%	285	SF
614	3 5/8" Metal Stud @ 16" O.C	259	10%	285	SF
615	"J" Shaped Metal Top Runner	30	10%	33	LF

616	"J" Shaped Metal Base Runner	30	10%	33	LF
617	Joint Sealant	120	10%	132	LF
<b>D2 Wall</b>					
618	1" Type X Gypsum Wall Board	38	10%	42	SF
619	5/8" Type X Gypsum Wall Board	38	10%	42	SF
620	5/8" Moisture Resistant Gypsum Wall Board	38	10%	42	SF
	(Size Of Sheet: 4'x8') No. Of Sheets	4			
	Drywall Screws (Ea)	192			
	Gypsum Board Joint Tape(Lf)	56			
621	3" Acoustic Insulation	38	10%	42	SF
622	3 5/8" Metal Stud @ 16" O.C	38	10%	42	SF
623	"J" Shaped Metal Top Runner	5	10%	6	LF
624	"J" Shaped Metal Base Runner	5	10%	6	LF
625	Joint Sealant	20	10%	22	LF

### Ceiling Materials

<b>Ground Floor</b>					
626	Gypsum Board Ceiling	18,780	10%	20,658	SF
<b>Second Floor</b>					
627	Gypsum Board Ceiling	18,291	10%	20,120	SF
<b>Third Floor</b>					
628	Gypsum Board Ceiling	35,687	10%	39,256	SF
<b>Fourth Floor</b>					
629	Gypsum Board Ceiling	19,337	10%	21,271	SF
<b>Fifth Floor</b>					
630	Gypsum Board Ceiling	15,802	10%	17,382	SF
<b>Sixth Floor</b>					
631	Gypsum Board Ceiling	15,665	10%	17,232	SF
<b>Seventh Floor</b>					
632	Gypsum Board Ceiling	15,665	10%	17,232	SF

633	<b>Eighth Floor</b> Gypsum Board Ceiling	15,665	10%	17,232	SF
634	<b>Ninth Floor</b> Gypsum Board Ceiling	15,665	10%	17,232	SF
635	<b>Tenth Floor</b> Gypsum Board Ceiling	15,665	10%	17,232	SF

---